


ALL INFORMATION CONTAINED OR DISCLOSED BY THIS DOCUMENT IS CONSIDERED CONFIDENTIAL AND PROPRIETARY BY ANDU ELECTRONICS CO.LTD. ALL DESIGN, MANUFACTURING, USE, REPRODUCTION AND ALL SALES RIGHTS, ARE EXPRESSLY RESERVED BY AND TO ANDU ELECTRONICS CO.LTD. AND COMMUNICATION OF THIS INFORMATION TO OTHERS IS PROHIBITED WITHOUT THE PRIOR WRITTEN CONSENT OF SELL.

DRAWING REVISIONS				
REV	S/N	DESCRIPTION	APPROVED	DATE
A	20080109-1	ORIGINAL RELEASE		





NOTES: UNLESS OTHERWISE SPECIFIED.

1. material: brass, T=0.35mm;
2. finish: Ni plated;
3. removed burrs and sharp edge.
4. For ATO/ATC/ATN automotive blade Fuses.
6. Suitable rated current: 15A.

Mounting holes



 东莞赛力科技和电路保护有限公司 SELLI Technology and Circuits Protection		FOR ATO/ATC/ATN blade fuse FUSE CLIP		SCALE		
				Tommy Qiu		
RoHS COMPLIANT UNLESS OTHERWISE STATED		WALL THICKNESS .XX .XXX		±0.15 MM ±0.05 MM		DSGN Tommy Qiu DFTS Tommy Qiu SHEET 1 OF 1
LINEAR .XXX		ANGULAR .XXX		±0.5 DEG 0.5 ° MAX		
BURR & FLASH BREAK CORNERS PARTING LINE SWITCH		0.10 MAX 0.20 R MAX 0.05 MAX		CHKD APPD		